


15.6 " 1366x768 Open Frame

- *15.6" 1366x768 resolution panel*
- *Long LED life: 50,000 hrs.*
- *0~60 °C Wide operating temperature*
- *Dual signal interface with HDMI and VGA*
- *Low power consumption*
- *Application: Kiosk*




Preliminary Product Specification

LCD Technology	Active matrix TFT Color LCD; 15.6 " diagonal screen size; 500 cd/m2 (typ.) brightness; Contrast ratio (typ.) 600:1 Viewing Angle: L/R = 80°, U/D = 80°; Response time: 3ms (typ.); LED life time: 50,000 hrs.
Display Resolution	1366 x 768
Active Display Area (mm)	344.232(W) x 193.536(H)
Frame Rate (Hz)	50~76
Horizontal Scan (Hz)	31.5K~80K
Vertical Refresh (Hz)	56~75
Dimension (W x H x D) mm	328.5(W) x 257.5(H) x 42.51(D)
Weight(kg)	0.72 ± 0.10
Input Signal	HDMI; VGA
I/O Connectors	HDMI; VGA; Audio-In; 12V DC-In
Power Consumption	17.1W Max; <0.5W sleep mode; <0.5W off mode;
Input Rating	12V/1.45A
Environment	Operating Temperature : 0~60°C Storage Temperature : -20~60°C

OP156NW1

Appearance



Dimensions

